


# 伸銅品 銅 丸管・コイル 真鍮 丸管




## 銅 丸管・コイル 真鍮丸管

| 呼称<br>JIS規格 | 銅管<br>C1220T 1/2H<br>りん脱酸銅 | 銅管コイル<br>C1220T ナマ<br>DCuT | 真鍮管<br>C2700T<br>BST2 |
|-------------|----------------------------|----------------------------|-----------------------|
| 外径×肉厚       | 5M                         | 20Mコイル                     | 5M                    |
| 1 × 0.2     |                            |                            | 1M                    |
| 1 × 0.25    |                            |                            | 1M                    |
| 1.5 × 0.25  |                            |                            | 2M                    |
| 1.6 × 0.3   |                            |                            | 1M                    |
| 2 × 0.25    |                            |                            | 2M                    |
| 2 × 0.3     | 2M(H材)                     |                            | 2M                    |
| 2 × 0.4     |                            | ●                          | 2M                    |
| 2 × 0.5     | 2M(H材)                     | ●                          | 2M                    |
| 2.3 × 0.3   |                            |                            | 2.5M                  |
| 2.5 × 0.3   |                            |                            | 2.5M                  |
| 2.5 × 0.4   |                            |                            | 2.5M                  |
| 2.5 × 0.5   | 2M(H材)                     |                            | 2.5M                  |
| 3 × 0.3     |                            |                            | 2.5M                  |
| 3 × 0.4     |                            |                            | 2.5M                  |
| 3 × 0.5     | 2.5M(H材)                   | ●                          | 2.5M                  |
| 3 × 0.6     | 2.5M(H材)                   |                            | 2.5M                  |
| 3 × 0.75    |                            | ●                          | 2.5M                  |
| 3 × 0.8     | 2.5M(H材)                   |                            |                       |
| 3 × 1       | 2.5M(H材)                   | ●                          | 2.5M                  |
| 3.18 × 0.5  | 2.5M(H材)                   | ●                          |                       |
| 3.18 × 0.8  | 2.5M(H材)                   | ●                          |                       |
| 3.2 × 0.5   |                            |                            | 2.5M                  |
| 3.2 × 0.8   | 2.5M(H材)                   |                            |                       |
| 3.5 × 0.3   |                            |                            | 2.5M                  |
| 3.5 × 0.5   | 2.5M(H材)                   |                            | 2.5M                  |
| 4 × 0.3     |                            |                            | 2.5M                  |
| 4 × 0.4     |                            |                            | 2.5M                  |
| 4 × 0.5     | 2.5M(H材)                   | ●                          | 2.5M                  |
| 4 × 0.6     |                            | ●                          | 2.5M                  |
| 4 × 0.8     | ●                          | ●                          | 2.5M                  |
| 4 × 1       | ●                          | ●                          | 2.5M                  |
| 4.5 × 0.5   |                            |                            | 2.5M                  |
| 4.76 × 0.8  | ●                          | ●                          |                       |
| 5 × 0.3     |                            |                            | 2.5M                  |
| 5 × 0.4     |                            |                            | 2.5M                  |
| 5 × 0.5     | 2.5M                       | ●                          | 2.5M                  |
| 5 × 0.6     | 2.5M(H材)                   |                            | 2.5M                  |
| 5 × 0.8     | ●                          | ●                          | 2.5M                  |
| 5 × 1       | ●                          | ●                          | 2.5M                  |
| 5 × 1.2     |                            |                            | 2.5M                  |
| 5 × 1.5     |                            |                            | 2.5M                  |
| 5.5 × 0.5   |                            |                            | 2.5M                  |
| 6 × 0.2     |                            |                            | 2.5M                  |
| 6 × 0.3     |                            |                            | 2.5M                  |
| 6 × 0.4     |                            |                            | 2.5M                  |
| 6 × 0.5     | ●                          | ●                          | 2.5M                  |
| 6 × 0.6     |                            |                            | 2.5M                  |
| 6 × 0.8     | ●                          | ●                          | 2.5M                  |
| 6 × 0.9     |                            |                            | 2.5M                  |
| 6 × 1       | ●                          | ●                          | 2.5M ●                |
| 6 × 1.2     | ●                          |                            | 2.5M                  |

| 呼称<br>JIS規格 | 銅管<br>C1220T 1/2H<br>りん脱酸銅 | 銅管コイル<br>C1220T ナマ<br>DCuT | 真鍮管<br>C2700T<br>BST2 |
|-------------|----------------------------|----------------------------|-----------------------|
| 外径×肉厚       | 5M                         | 20Mコイル                     | 5M                    |
| 6 × 1.5     | ●                          | ●                          | 2.5M                  |
| 6 × 2       |                            |                            | 2.5M                  |
| 6.35 × 0.5  |                            |                            | 2.5M                  |
| 6.35 × 0.8  | ●                          | ●                          | 2.5M                  |
| 6.35 × 1    | ●                          | ●                          | 2.5M                  |
| 6.35 × 1.2  | ●                          |                            |                       |
| 6.35 × 1.5  | ●                          |                            | 2.5M                  |
| 6.5 × 0.5   |                            |                            | 2.5M                  |
| 7 × 0.3     |                            |                            | 2.5M                  |
| 7 × 0.5     |                            |                            | 2.5M                  |
| 7 × 0.8     |                            |                            | 2.5M                  |
| 7 × 1       | ●                          |                            | 2.5M                  |
| 7 × 1.5     | ●                          |                            | 2.5M                  |
| 7 × 2       | ●                          |                            |                       |
| 7.5 × 0.5   |                            |                            | 2.5M                  |
| 8 × 0.5     | ●                          |                            | 2.5M                  |
| 8 × 0.6     | ●                          |                            |                       |
| 8 × 0.8     | ●                          | ●                          | 2.5M                  |
| 8 × 1       | ●                          | ●                          | 2.5M ●                |
| 8 × 1.2     | ●                          | ●                          | 2.5M                  |
| 8 × 1.5     | ●                          | ●                          | ●                     |
| 8 × 2       | ●                          | ●                          | ●                     |
| 9 × 0.5     |                            |                            | 2.5M                  |
| 9 × 0.8     |                            |                            | 2.5M                  |
| 9 × 1       | ●                          |                            | ●                     |
| 9 × 1.5     |                            |                            | 2.5M                  |
| 9.53 × 0.5  |                            |                            | 2.5M                  |
| 9.53 × 0.8  | ●                          | ●                          | ●                     |
| 9.53 × 1    | ●                          | ●                          | ●                     |
| 9.53 × 1.2  | ●                          | ●                          | ●                     |
| 9.53 × 1.5  | ●                          | ●                          | ●                     |
| 10 × 0.5    | ●                          |                            | 2.5M                  |
| 10 × 0.8    | ●                          | ●                          | ●                     |
| 10 × 1      | ●                          | ●                          | 2.5M ●                |
| 10 × 1.2    | ●                          | ●                          | ●                     |
| 10 × 1.5    | ●                          | ●                          | ●                     |
| 10 × 2      | ●                          | ●                          | ●                     |
| 10 × 3      | ●                          |                            |                       |
| 10.5 × 0.5  |                            |                            | 2.5M                  |
| 10.5 × 1.2  |                            |                            | ●                     |
| 11 × 0.5    |                            |                            | 2.5M                  |
| 11 × 0.8    |                            |                            | ●                     |
| 11 × 1      | ●                          |                            | ●                     |
| 11 × 1.5    |                            |                            | ●                     |
| 12 × 0.5    |                            |                            | 2.5M                  |
| 12 × 0.8    |                            |                            | ●                     |
| 12 × 1      | ●                          | ●                          | ●                     |
| 12 × 1.2    | ●                          | ●                          | ●                     |
| 12 × 1.5    | ●                          | ●                          | ●                     |
| 12 × 2      | ●                          | ●                          | ●                     |
| 12 × 2.56   | ●                          |                            |                       |

# 伸銅品 銅 丸管・コイル 真鍮 丸管




## 銅 丸管・コイル 真鍮丸管

| 呼称          | 銅管                   | 銅管コイル             | 真鍮管            |
|-------------|----------------------|-------------------|----------------|
| JIS規格       | C1220T 1/2H<br>りん脱酸銅 | C1220T ナツ<br>DCuT | C2700T<br>BST2 |
| 外径×肉厚       | 5M                   | 20Mコイル            | 5M             |
| 12 × 3      | ●                    |                   | ●              |
| 12.7 × 0.5  |                      |                   | 2.5M           |
| 12.7 × 0.8  | ●                    | ●                 | ●              |
| 12.7 × 1    | ●                    | ●                 | ●              |
| 12.7 × 1.2  | ●                    | ●                 | ●              |
| 12.7 × 1.24 | ●                    |                   |                |
| 12.7 × 1.5  | ●                    | ●                 | ●              |
| 12.7 × 2    | ●                    |                   | ●              |
| 12.7 × 3    | ●                    |                   |                |
| 12.72 × 0.8 | ●                    |                   |                |
| 12.72 × 1   | ●                    | ●                 |                |
| 12.72 × 1.2 | ●                    |                   |                |
| 12.72 × 1.5 | ●                    |                   |                |
| 13 × 0.5    |                      |                   | 2.5M           |
| 13 × 1      | ●                    |                   | ●              |
| 13 × 1.5    |                      |                   | ●              |
| 13.8 × 2.3  | ●                    |                   | ●              |
| 14 × 0.5    |                      |                   | 2.5M           |
| 14 × 0.8    |                      |                   | ●              |
| 14 × 1      | ●                    | ●                 | ●              |
| 14 × 1.2    | ●                    |                   |                |
| 14 × 1.5    | ●                    |                   | ●              |
| 14 × 2      | ●                    |                   | ●              |
| 14 × 3      | ●                    |                   | ●              |
| 15 × 0.5    |                      |                   | 2.5M           |
| 15 × 1      | ●                    | ●                 | ●              |
| 15 × 1.2    | ●                    | ●                 |                |
| 15 × 1.5    | ●                    | ●                 | ●              |
| 15 × 2      | ●                    | ●                 | ●              |
| 15.8 × 0.5  |                      |                   | 2.5M           |
| 15.8 × 0.8  | ●                    | ●                 | ●              |
| 15.8 × 1    | ●                    | ●                 | ●              |
| 15.8 × 1.2  | ●                    | ●                 | ●              |
| 15.8 × 1.24 | ●                    |                   |                |
| 15.8 × 1.5  | ●                    | ●                 | ●              |
| 15.8 × 2    | ●                    |                   | ●              |
| 15.88 × 1   | ●                    | ●                 | ●              |
| 15.88 × 1.2 | ●                    |                   |                |
| 15.88 × 1.5 | ●                    |                   | ●              |
| 15.88 × 2   | ●                    |                   | ●              |
| 15.88 × 3   | ●                    |                   |                |
| 16 × 0.5    |                      |                   | ●              |
| 16 × 1      | ●                    | ●                 | ●              |
| 16 × 1.2    | ●                    |                   |                |
| 16 × 1.5    | ●                    | ●                 | ●              |
| 16 × 2      | ●                    | ●                 | ●              |
| 16 × 3      | ●                    |                   | ●              |
| 16 × 4      | ●                    |                   |                |
| 17 × 0.5    |                      |                   | 2.5M           |
| 17 × 1      |                      |                   | ●              |
| 17 × 1.5    |                      |                   | ●              |

| 呼称          | 銅管                   | 銅管コイル             | 真鍮管            |
|-------------|----------------------|-------------------|----------------|
| JIS規格       | C1220T 1/2H<br>りん脱酸銅 | C1220T ナツ<br>DCuT | C2700T<br>BST2 |
| 外径×肉厚       | 5M                   | 20Mコイル            | 5M             |
| 17.3 × 2.3  | ●                    |                   | ●              |
| 18 × 0.5    |                      |                   | 2.5M           |
| 18 × 1      | ●                    |                   | ●              |
| 18 × 1.2    | ●                    |                   |                |
| 18 × 1.5    | ●                    |                   | ●              |
| 18 × 2      | ●                    |                   | ●              |
| 18 × 3      | ●                    |                   | ●              |
| 19 × 0.5    |                      |                   | 2.5M           |
| 19 × 0.8    |                      |                   | ●              |
| 19 × 1      |                      |                   | ●              |
| 19 × 1.2    |                      |                   | ●              |
| 19 × 1.5    |                      |                   | ●              |
| 19 × 2      |                      |                   | ●              |
| 19 × 3      |                      |                   | ●              |
| 19.05 × 0.8 | ●                    |                   |                |
| 19.05 × 1   | ●                    | ●                 |                |
| 19.05 × 1.2 | ●                    | ●                 |                |
| 19.05 × 1.5 | ●                    | ●                 |                |
| 19.05 × 2   | ●                    |                   | ●              |
| 19.05 × 3   | ●                    |                   |                |
| 19.05 × 4   | ●                    |                   |                |
| 20 × 0.5    |                      |                   | 2.5M           |
| 20 × 1      | ●                    |                   | ●              |
| 20 × 1.2    | ●                    | ●                 |                |
| 20 × 1.5    | ●                    |                   | ●              |
| 20 × 2      | ●                    | 25M               | ●              |
| 20 × 3      | ●                    |                   | ●              |
| 20 × 4      | ●                    |                   |                |
| 20 × 5      | ●                    |                   |                |
| 21 × 1      |                      |                   | ●              |
| 21.7 × 2.8  | ●                    |                   | ●              |
| 22 × 1      | ●                    |                   | ●              |
| 22 × 1.5    | ●                    |                   | ●              |
| 22 × 2      | ●                    |                   | ●              |
| 22 × 3      | ●                    |                   | ●              |
| 22 × 4      | ●                    |                   |                |
| 22.2 × 1    |                      | ●                 |                |
| 22.2 × 1.65 | ●                    |                   |                |
| 22.23 × 0.8 |                      |                   | ●              |
| 22.23 × 1   | ●                    |                   | ●              |
| 22.23 × 1.2 | ●                    | ●                 | ●              |
| 22.23 × 1.5 | ●                    |                   | ●              |
| 22.23 × 2   | ●                    |                   | ●              |
| 22.23 × 3   | ●                    |                   | ●              |
| 23 × 1      |                      |                   | ●              |
| 23 × 1.5    |                      |                   | ●              |
| 24 × 1      |                      |                   | ●              |
| 24 × 2      |                      |                   | ●              |

# 伸銅品 銅 丸管・コイル 真鍮 丸管



## 銅 丸管・コイル 真鍮丸管

| 呼称<br>JIS規格 | 銅管<br>C1220T 1/2H<br>りん脱酸銅 | 銅管コイル<br>C1220T ナマシ<br>DCuT<br>20Mコイル | 真鍮管<br>C2700T<br>BST2 |
|-------------|----------------------------|---------------------------------------|-----------------------|
| 外径×肉厚       | 5M                         | 20Mコイル                                | 5M                    |
| 25 × 0.5    |                            |                                       | 2.5M                  |
| 25 × 1      | ●                          |                                       | ●                     |
| 25 × 1.5    | ●                          |                                       | ●                     |
| 25 × 2      | ●                          |                                       | ●                     |
| 25 × 2.5    |                            |                                       | ●                     |
| 25 × 3      | ●                          |                                       | ●                     |
| 25 × 5      | ●                          |                                       |                       |
| 25.4 × 1    | ●                          | ●                                     | ●                     |
| 25.4 × 1.2  | ●                          |                                       | ●                     |
| 25.4 × 1.5  | ●                          |                                       | ●                     |
| 25.4 × 2    | ●                          |                                       | ●                     |
| 25.4 × 3    | ●                          |                                       | ●                     |
| 27.2 × 2.8  | ●                          |                                       | ●                     |
| 28 × 1      |                            |                                       | ●                     |
| 28 × 1.5    | ●                          |                                       | ●                     |
| 28 × 2      | ●                          |                                       | ●                     |
| 28 × 3      | ●                          |                                       |                       |
| 28.5 × 1    | ●                          |                                       | ●                     |
| 28.5 × 1.2  | ●                          |                                       | ●                     |
| 28.5 × 1.5  | ●                          |                                       | ●                     |
| 28.5 × 1.65 | ●                          |                                       |                       |
| 28.5 × 2    | ●                          |                                       | ●                     |
| 28.5 × 3    | ●                          |                                       |                       |
| 28.58 × 1.5 | ●                          |                                       |                       |
| 30 × 1      | ●                          |                                       | ●                     |
| 30 × 1.5    | ●                          |                                       | ●                     |
| 30 × 2      | ●                          |                                       | ●                     |
| 30 × 2.5    |                            |                                       | ●                     |
| 30 × 3      | ●                          |                                       | ●                     |
| 31.75 × 1   | ●                          |                                       | ●                     |
| 31.75 × 1.2 | ●                          |                                       | ●                     |
| 31.75 × 1.5 | ●                          |                                       | ●                     |
| 31.75 × 2   | ●                          |                                       | ●                     |
| 31.75 × 3   | ●                          |                                       | ●                     |
| 32 × 1      |                            |                                       | ●                     |
| 32 × 1.5    |                            |                                       | ●                     |
| 32 × 2      | ●                          |                                       | ●                     |
| 34 × 3.2    | ●                          |                                       | ●                     |
| 34.9 × 1.65 | ●                          |                                       |                       |
| 34.93 × 1.5 | ●                          |                                       |                       |
| 35 × 1      | ●                          |                                       | ●                     |
| 35 × 1.5    |                            |                                       | ●                     |
| 35 × 2      | ●                          |                                       | ●                     |
| 35 × 2.5    | ●                          |                                       | ●                     |
| 35 × 3      | ●                          |                                       | ●                     |
| 35 × 4      | ●                          |                                       |                       |
| 38.1 × 1    |                            |                                       | ●                     |
| 38.1 × 1.2  | ●                          |                                       | ●                     |
| 38.1 × 1.5  | ●                          |                                       | ●                     |
| 38.1 × 2    | ●                          |                                       | ●                     |
| 38.1 × 3    | ●                          |                                       | ●                     |

| 呼称<br>JIS規格 | 銅管<br>C1220T 1/2H<br>りん脱酸銅 | 真鍮管<br>C2700T<br>BST2 |
|-------------|----------------------------|-----------------------|
| 外径×肉厚       | 5M                         | 5M                    |
| 38.12× 1.2  |                            | ●                     |
| 38.12× 1.5  | ●                          | ●                     |
| 38.12× 2    |                            | ●                     |
| 38.12× 3    |                            | ●                     |
| 40 × 1      | ●                          | ●                     |
| 40 × 1.5    |                            | ●                     |
| 40 × 2      | ●                          | ●                     |
| 40 × 3      | ●                          | ●                     |
| 40 × 5      |                            | ●                     |
| 41.28× 2    | ●                          |                       |
| 42.7 × 3.5  | ●                          | ●                     |
| 44.45× 1    |                            | ●                     |
| 44.45× 1.5  |                            | ●                     |
| 44.45× 2    | ●                          | ●                     |
| 44.45× 3    | ●                          | ●                     |
| 45 × 1.5    |                            | ●                     |
| 45 × 2      | ●                          | ●                     |
| 45 × 3      | ●                          | ●                     |
| 48.6 × 3.5  | ●                          | ●                     |
| 50 × 1.5    |                            | ●                     |
| 50 × 2      |                            | ●                     |
| 50 × 3      | ●                          |                       |
| 50 × 5      |                            | ●                     |
| 50.8 × 1    | ●                          | ●                     |
| 50.8 × 1.2  |                            | ●                     |
| 50.8 × 1.5  | ●                          | ●                     |
| 50.8 × 2    | ●                          | ●                     |
| 50.8 × 3    | ●                          | ●                     |
| 53.98× 2    | ●                          |                       |
| 53.98×2.11  | ●                          |                       |
| 57.2 × 2    | ●                          |                       |
| 60 × 1      | ●                          | ●                     |
| 60 × 1.5    | ●                          | ●                     |
| 60 × 2      | ●                          | ●                     |
| 60 × 3      | ●                          | ●                     |
| 60 × 5      |                            | ●                     |
| 60.5 × 3.8  | ●                          | ●                     |
| 63.5 × 2    | ●                          |                       |
| 63.5 × 3    | ●                          | ●                     |
| 70 × 2      |                            | ●                     |
| 70 × 3      | ●                          | ●                     |
| 70 × 5      |                            | ●                     |
| 76.2 × 2    | ●                          | ●                     |
| 76.2 × 3    | ●                          | ●                     |
| 80 × 2      |                            | ●                     |
| 80 × 3      | ●                          | ●                     |
| 88.9 × 2    | ●                          | ●                     |
| 88.9 × 3    | ●                          | ●                     |
| 101.6× 2    | ●                          | ●                     |
| 101.6× 3    | ●                          | ●                     |