

伸銅品 丸棒 銅・真鍮




丸棒 銅 真鍮

呼称 JIS規格	タフピッチ銅 C1100B	無酸素銅 C1020B	真鍮 C3604B
φ外径	TCuB	OFCuB	BSBM2
2.0	●		
3.0	●		●
4.0	●		●
4.5	●		
5.0	●		●
6.0	●		●
7.0	●	●	●
8.0	●		●
9.0	●	●	●
10.0	●		●
11.0	●		●
12.0	●		●
13.0	●		●
14.0	●		●
15.0	●		●
16.0	●		●
17.0	●		●
18.0	●		●
19.0	●		●
20.0	●		●
21.0	●	●	●
22.0	●		●
23.0	●	●	●
24.0	●		●
25.0	●		●
26.0	●	●	●
27.0		●	●
28.0	●		●
29.0	●		●
30.0	●		●
31.0		●	●
32.0	●		●
33.0	●		●
34.0	●		●
35.0	●		●
36.0	●		●
37.0			●
38.0	●		●
39.0		●	●
40.0	●		●
41.0		●	●
42.0	●		●
43.0			●
44.0		●	●
45.0	●		●
46.0	●	●	●
47.0			●
48.0	●		●
50.0	●		●
51.0		●	●
52.0			●
53.0			●

呼称 JIS規格	タフピッチ銅 C1100B	無酸素銅 C1020B	真鍮 C3604B
φ外径	TCuB	OFCuB	BSBM2
54.0			●
55.0	●		●
56.0			●
57.0			●
58.0			●
60.0	●	●	●
62.0			●
63.0			●
65.0	●		●
67.0			●
68.0			●
70.0	●	●	●
73.0			●
75.0	●		●
80.0	●	●	●
82.0			●
85.0	●		●
90.0	●	●	●
95.0	●		●
100.0	●	●	●
105.0			●
110.0	●	●	●
115.0			●
120.0	●	●	●
125.0			●
130.0	●	●	●
135.0			●
140.0	●		●
145.0			●
150.0	●		●
155.0			●
160.0	●		●
165.0			●
170.0	●		●
180.0	●		●
190.0			●
200.0	●		●
210.0	●		●
220.0	●		●
230.0	●		●
240.0	●		●
250.0	●		●
260.0	●		●
270.0	●		●
280.0	●		●
290.0	●		●
300.0	●		●
320.0	●		●
350.0	●		●

伸銅品 丸棒 りん青銅・快削りん青銅・クローム銅・アルミニウム青銅



丸棒 りん青銅・快削りん青銅・クローム銅・アルミニウム青銅

呼称 JIS規格 φ外径	りん青銅 C5191B PBB2	快削りん青銅 C5341B 1種	快削りん青銅 C5441B 2種
0.9	●		
1.0	●		
1.2	●		
1.5	●		●
1.8	●		
2.0	●		●
2.5	●		●
3.0	●		●
3.5	●		●
4.0	●	●	●
4.5			●
5.0	●		●
5.5			●
6.0	●	●	●
6.5			●
7.0	●	●	●
8.0	●	●	●
9.0	●		
10.0	●	●	●
11.0	●		●
12.0	●	●	●
13.0	●	●	●
14.0	●	●	●
15.0	●	●	●
16.0	●	●	●
17.0	●		●
18.0	●	●	●
19.0	●	●	●
20.0	●		●
21.0			●
22.0	●		●
23.0			●
24.0	●		●
25.0	●		●
26.0	●		●
28.0	●		●
30.0	●		●
32.0	●		●
34.0	●		
35.0	●		●
36.0			●
38.0	●		●
40.0	●		●
42.0	●		●
45.0	●		●
46.0			●
48.0			●
50.0	●		●
55.0	●		●
60.0	●		●
65.0	●		


呼称 JIS規格 φ外径	クローム銅 Z3234 CrCuB	アルミニウム青銅 C6191B ABB2
6.0	●	
8.0	●	
10.0	●	
12.0	●	
13.0	●	
16.0	●	
20.0	●	●
22.0	●	●
25.0	●	●
30.0	●	●
32.0	●	
35.0	●	●
40.0	●	●
45.0	●	●
50.0	●	●
55.0	●	●
60.0	●	●
65.0		●
70.0	●	●
75.0		●
80.0	●	●
90.0	●	●
100.0	●	●
110.0		●
120.0		●

伸銅品 丸棒 ネーバル真鍮・高力真鍮・砲金・砲金パイプ



ネーバル真鍮・高力真鍮・砲金

呼称 JIS規格	ネーバル真鍮 C4641B	高力真鍮 C6782B	砲金 H5121
φ外径	NBsB2	HBsB2	BC6
5.0	●		
6.0	●	●	
7.0	●	●	
8.0	●	●	
9.0		●	
10.0	●	●	
11.0	●		
12.0	●	●	
13.0		●	
14.0	●	●	
16.0	●	●	
18.0		●	
20.0	●		●
22.0		●	
25.0	●	●	●
30.0	●	●	●
32.0	●		
35.0	●	●	●
36.0	●	●	
40.0	●		
42.0	●		
45.0	●	●	●
50.0	●		●
55.0		●	●
60.0	●	●	●
65.0	●	●	●
70.0			●
75.0			●
80.0		●	●
85.0			●
90.0			●
100.0		●	●
110.0			●
120.0			●
130.0			●
150.0			●
160.0			●
180.0			●
200.0			●
250.0			●
300.0			●



砲金パイプ

砲金パイプ H5121		
BC6C (外径×肉厚)		
30 × 15	75 × 40	110 × 100
30 × 20	75 × 45	111 × 86
35 × 15	75 × 50	115 × 65
35 × 20	75 × 55	120 × 50
35 × 25	75 × 60	120 × 60
40 × 20	75 × 65	120 × 80
40 × 25	78 × 60	120 × 90
40 × 30	80 × 40	120 × 100
45 × 20	80 × 45	125 × 65
45 × 25	80 × 50	130 × 80
45 × 30	80 × 55	130 × 100
45 × 35	80 × 60	140 × 70
50 × 20	80 × 70	140 × 90
50 × 25	84 × 56	140 × 110
50 × 30	85 × 40	144 × 120
50 × 35	85 × 50	150 × 47
50 × 40	85 × 55	150 × 80
55 × 25	86 × 74	150 × 100
55 × 30	88 × 76	150 × 120
55 × 35	90 × 40	160 × 100
55 × 40	90 × 50	160 × 120
58 × 42	90 × 60	160 × 130
60 × 30	90 × 70	170 × 140
60 × 35	90 × 80	180 × 120
60 × 40	95 × 45	180 × 140
60 × 45	95 × 65	180 × 160
60 × 50	95 × 85	200 × 100
65 × 30	96 × 74	200 × 140
65 × 35	96 × 76	200 × 160
65 × 40	96 × 83	200 × 168
65 × 45	98 × 83	213 × 185
65 × 50	100 × 50	218 × 80
68 × 55	100 × 60	225 × 193
70 × 35	100 × 75	230 × 180
70 × 40	100 × 80	243 × 214
70 × 45	100 × 90	250 × 150
70 × 50	104 × 90	257 × 221
70 × 55	105 × 70	262 × 70
70 × 60	107 × 95	300 × 180
72 × 48	110 × 60	300 × 260
75 × 30	110 × 70	
75 × 35	110 × 85	