




●長孔抜（雲型）




201 2×11
開孔率 27%




202 2.5×18
開孔率 25%




203 3×20
開孔率 32.6%




204 3×12
開孔率 39.3%




205 3×20
開孔率 39.7%




206 4×11
開孔率 29%



207 5×20
開孔率 51.5%




208 4×25
開孔率 45.6%




209 9×50

長孔目方向について下記図の様に板の長さ方向、板の巾方向により目方向をご指示下さい。




LONG LONG




SHORT LONG

（但し型により一方向しか
出来ない場合も有ります）


●角 孔




301 3□×5P
開孔率 36%




302 4□×7P
開孔率 32.7%




303 5□×8P
開孔率 39%




304 6□×9P
開孔率 44.4%




305 8□×10P
開孔率 64%




306 10□×13P
開孔率 59.2%




307 12□×15P
開孔率 64%



308 15□×20P
開孔率 56.3%




309 20□×30P
開孔率 44.4%




310 D10.5×14P
開孔率 59.2%


●角 孔




401 開孔率 45%




402 開孔率 32%




403 開孔率 36%




404 開孔率 28%




405 開孔率 32%




406 開孔率 43%



501 16.5×28
開孔率 49%



502 10×20
開孔率 54.9%



503 8.5×16.5
開孔率 42.3%

★カタログに記載してあるものは極一般的なパターンです。

★他にも各種型を取り揃えておりますのでご相談下さい。

(六角型、イチヨウ型、ヨロイ抜、その他模様型)